



Explore!
.....The Safety Brand.....

A safety procedure used in industry and research settings to ensure that dangerous machines are properly shut off and not able to be started up again prior to the completion of maintenance or repair work.....

<p>LNT01</p> <p>LOCKOUT TAGOUT STEEL PADLOCK</p> <p>Colour : ■ ■ ■ ■ ■ ■</p> <p>Size : 38mm / 76mm</p>	<p>LNT02</p> <p>LOCKOUT TAGOUT NYLON PADLOCK</p> <p>Colour : ■</p> <p>Size : 38mm / 76mm</p>	<p>LNT03</p> <p>LOCKOUT TAGOUT CABLE PADLOCK</p> <p>Colour : ■</p> <p>Size : 38mm</p>	<p>LNT04</p> <p>BALL VALVE LOCKOUT</p> <p>Colour : ■</p> <p>Size : 0.5" - 2.5" / 0.5" - 3.15" / 2" - 8"</p>
<p>LNT05</p> <p>ADJUSTABLE BALL VALVE LOCKOUT</p> <p>Colour : ■</p> <p>Size : 0.5" - 2 3/4" / 0.5" - 2 3/4" / 2 4/5" - 8 1/2"</p>	<p>LNT06</p> <p>STANDARD BALL VALVE LOCKOUT</p> <p>Colour : ■</p> <p>Size : 82mm - 55mm / 157mm - 102mm</p>	<p>LNT07</p> <p>BUTTERFLY VALVE LOCKOUT</p> <p>Colour : ■</p> <p>Size : 8mm - 45mm</p>	<p>LNT08</p> <p>UNIVERSAL GATE VALVE LOCKOUT</p> <p>Colour : ■</p> <p>Size : With 1 arm / With 2 arm / With coated cable / Base clamp only / with 1 arm & coated cable</p>
<p>LNT09</p> <p>SMALL UNIVERSAL GATE VALVE LOCKOUT</p> <p>Colour : ■</p> <p>Size : 25mm</p>	<p>LNT10</p> <p>OVERSIZED CLAMP UNIVERSAL VALVE LOCKOUT BASE</p> <p>Colour : ■</p> <p>Size : 40mm</p>	<p>LNT11</p> <p>GATE VALVE LOCKOUT</p> <p>Colour : ■</p> <p>Size : 1" - 2.5" / 2.5" - 5" / 5" - 6.5" / 6.5" - 10" / 10" - 13"</p>	<p>LNT12</p> <p>PLUG LOCKOUT</p> <p>Colour : ■</p> <p>Feature : For 110V / 220 V / 500V</p>





Explore!
.....The Safety Brand.....

A safety procedure used in industry and research settings to ensure that dangerous machines are properly shut off and not able to be started up again prior to the completion of maintenance or repair work.













<p>LNT13</p>  <p>ADJUSTABLE GATE VALVE LOCKOUT</p> <p>Colour : ■ Size : 1" - 2.5" / 2.5" - 5" / 5" - 6.5" / 6.5" - 10" / 10"-13" / 13"-18" / 18"-25"</p>	<p>LNT14</p>  <p>SMALL BLOCKING ARM</p> <p>Colour : ■ Size : 140mm</p>	<p>LNT15</p>  <p>SMALL BLOCKING ARM</p> <p>Colour : ■ Size : 4mm / 6mm (cable dia)</p>	<p>LNT16</p>  <p>CABLE LOCKOUT</p> <p>Colour : ■ Size : 3.3mm (cable dia)</p>
<p>LNT17</p>  <p>ADJUSTABLE STEEL CABLE LOCKOUT</p> <p>Colour : ■ Size : 3.8mm (cable dia)</p>	<p>LNT18</p>  <p>FISH SHAPED CABLE LOCKOUT</p> <p>Colour : ■ Size : 3.8mm (cable dia)</p>	<p>LNT19</p>  <p>ECONOMIC CABLE LOCKOUT</p> <p>Colour : ■ Size : 3.8mm (cable dia)</p>	<p>LNT20</p>  <p>CAR SEAL LOCKOUT</p> <p>Colour : ■ Size : 2.5mm x 256mm (cable dia)</p>
<p>LNT21</p>  <p>CLAMP-ON CIRCUIT BREAKER</p> <p>Colour : ■ Size : 120-277V (≤ 16.5mm) / 480-600V (≤ 41mm / ≤ 70mm)</p>	<p>LNT22</p>  <p>ELECTRICAL MINIATURE CIRCUIT BREAKER (MCB)</p> <p>Colour : ■ Size : POS / PIS / POW / TBLO</p>	<p>LNT23</p>  <p>MULTI-FUNCTIONAL CIRCUIT BREAKER</p> <p>Colour : ■ Size : 45mm x 25mm x 10mm</p>	<p>LNT24</p>  <p>MOULDED CASE CIRCUIT BREAKER</p> <p>Colour : ■ Size : 51mm x 25mm x 23mm</p>





Explore!
.....The Safety Brand.....

A safety procedure used in industry and research settings to ensure that dangerous machines are properly shut off and not able to be started up again prior to the completion of maintenance or repair work.

<p>LNT25</p>  <p>MOULDED CASE CIRCUIT BREAKER Colour : ■ Size : 4mm / 5mm (max clamping)</p>	<p>LNT26</p>  <p>MOULDED CASE CIRCUIT BREAKER Colour : ■ Size : 7mm ≤ a ≤ 15mm</p>	<p>LNT27</p>  <p>LARGE MOULDED CASE CIRCUIT BREAKER Colour : ■ Size : 125mm x 63mm x 40mm</p>	<p>LNT28</p>  <p>MULTI-FUNCTIONAL CIRCUIT BREAKER Colour : ■ Size : ≤ 9.3mm / ≤ 12mm (handle width)</p>
<p>LNT29</p>  <p>GRIP TIGHT CIRCUIT BREAKER Colour : ■ Size : 20mm / 15mm (Max .Clamping)</p>	<p>LNT30</p>  <p>SNAP-ON CIRCUIT BREAKER Colour : ■ Size : For 120V</p>	<p>LNT31</p>  <p>PNEUMATIC QUICK DISCONNECT LOCKOUT Colour : ■ Size : Fit for 12mm / 13mm / 16mm screwed joints</p>	<p>LNT32</p>  <p>CYLINDER TANK LOCKOUT Colour : ■ Size : 92mm dia</p>
<p>LNT33</p>  <p>AIR SOURCE LOCKOUT Colour : ■ Size : Up to 83mm (neck rings)</p>	<p>LNT34</p>  <p>PNEUMATIC PLUG LOCKOUT Colour : ■ Size : 9mm, 10mm, 11mm, 12mm, 20mm (hole dia)</p>	<p>LNT35</p>  <p>EMERGENCY STOP LOCKOUT Colour : □ Size : Height - 31.9mm Outer dia - 49.6mm Inner dia - 22mm / 30mm</p>	<p>LNT36</p>  <p>MOULDED CASE CIRCUIT BREAKER Colour : □ Size : Up to 8mm dia (accept lock shackle)</p>






A safety procedure used in industry and research settings to ensure that dangerous machines are properly shut off and not able to be started up again prior to the completion of maintenance or repair work.



Explore!
.....The Safety Brand.....

LNT37



MOULDED CASE CIRCUIT BREAKER

Colour : ■
Size : 190mm (rod length)

LNT38



INDUSTRIAL PLUG LOCKOUT

Colour : ■
Size : Used for all sizes

LNT39



WALL SWITCH BUTTON LOCKOUT

Colour : □
Size : 74mm x 74mm / 158mm x 64mm x 98mm

LNT40



MULTI-FUNCTIONAL INDUSTRIAL ELECTRICAL LOCKOUT

Colour : ■
Feature : Can be fixed by screws or 3M double-sided tape.

LNT41



STEEL LOCKOUT HASP

Colour : ■
Size : 1" / 1.5" (jaw size)
Feature: With hook / Without hook


LNT42



ECONOMIC STEEL LOCKOUT HASP

Colour : ■
Size : 1" / 1.5" (jaw size)
Feature: With hook / Without hook


LNT43



NYLON LOCKOUT HASP

Colour : ■
Size : 40mm x 190mm / 40mm x 115mm

LNT44



NYLON LOCKOUT HASP

Colour : ■
Size : 43.5mm x 175mm

LNT45



NYLON LOCKOUT HASP

Colour : ■
Size : 61mm x 107mm / 67mm x 108mm
Feature: 4 padlocks

LNT46



ALUMINIUM LOCKOUT HASP

Colour : ■
Size : 1" / 1.5" (jaw size)
Feature: 6 padlocks

LNT47



DOUBLE END ALUMINIUM LOCKOUT HASP

Colour : □
Size : Length - 150mm / Head Shackle - 38mm / Tail Shackle - 25mm

LNT48



ALUMINIUM LOCKOUT HASP

Colour : ■ ■ ■
Size : 75mm x 189mm
Feature: Accept up to 8 padlocks

